

平成 25 年 9 月 26 日

豊島における環境計測（地下水調査）結果について

地下水の環境計測は、工事の進捗に伴う水質の推移を把握することを目的としている。今回、平成 25 年 7 月に実施した水質調査結果をとりまとめた。

なお、今回は、これまで調査を実施してきた観測井 A 3、B 5、F 1 西に加えて、観測井 C 1 北、C 1 南、C 3 北、C 3 南、DE 1、F 1、F 1 東、H I 1 においても調査を実施した。

1 調査の概要

(1) 調査日

平成 25 年 7 月 22 日(月)、24 日(水)及び 29 日(月)

(2) 調査地点（調査地点図参照）

観測井 11 地点

(A 3、B 5、C 1 北、C 1 南、C 3 北、C 3 南、DE 1、F 1、F 1 西、F 1 東、H I 1)

(3) 検体採取機関及び分析機関

採取機関：県廃棄物対策課、県直島環境センター

分析機関：県直島環境センター、県環境保健研究センター

2 調査結果の概要（表 1～4）

- ・ 観測井 A 3、B 5、F 1 西とも、これまでの調査結果と比較して特段の差異は見られなかった。
- ・ 観測井 F 1 西及び DE 1 においては、全ての項目で環境基準を満足していた。
- ・ その他の観測井においては、次の項目が環境基準値を満足しなかった。

観測井 A 3：砒素及びその化合物、塩化ビニルモノマー、ベンゼン

観測井 B 5：ベンゼン、ホウ素及びその化合物、フッ素及びその化合物、1,4-ジオキサン

観測井 C 1 北：ベンゼン、ホウ素及びその化合物、1,4-ジオキサン

観測井 C 1 南：1,2-ジクロロエチレン、トリクロロエチレン、ベンゼン、1,4-ジオキサン

観測井 C 3 北：塩化ビニルモノマー、ベンゼン、ホウ素及びその化合物、1,4-ジオキサン

観測井 C 3 南：塩化ビニルモノマー、1,2-ジクロロエチレン、トリクロロエチレン、ベンゼン、
ホウ素及びその化合物、1,4-ジオキサン

観測井 F 1：ベンゼン、ホウ素及びその化合物、1,4-ジオキサン

観測井 F 1 東：ベンゼン、ホウ素及びその化合物、1,4-ジオキサン

観測井 H I 1：ホウ素及びその化合物

表1 地下水調査結果（A3地点の推移）

調査地点	A3																			地下水の 環境基準	検出 下限		
	H15. 2. 6	H16. 2. 5	H17. 2. 7	H18. 2. 28	H19. 2. 1	H20. 2. 13	H21. 2. 17	H22. 2. 16	H23. 2. 9	H23. 6. 14	H23. 8. 3	H23. 11. 22	H24. 2. 1	H24. 5. 16	H24. 8. 1	H24. 11. 19	H25. 2. 5	H25. 5. 22	H25. 7. 29				
一般項目	pH	7.0	7.1	6.9	7.1	7.0	6.8	7.0	7.2	6.9	6.8	6.7	6.7	6.9	6.6	6.8	6.9	6.9	6.8	6.8	-	-	
	BOD	7.5	12	0.8	4.3	0.7	0.9	ND	1.4	1.0	ND	1.0	1.0	0.8	ND	ND	0.8	1.3	1.3	ND	-	0.5	
	COD	32	70	17	18	10	21	3.1	3.7	5.7	5.6	3.7	5.1	3.8	7.0	5.0	4.1	3.4	7.9	3.5	-	0.5	
	大腸菌群数	13	33	33	7.8	ND	ND	ND	ND	ND	ND	2	7.8	ND	ND	11	13	ND	350	2	-	-	
	油分	0.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.5
健康項目	カドミウム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.003 ^(注6)	0.0003	
	全シアン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.1	
	有機燐	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.1	
	鉛	ND	0.1	0.015	ND	ND	ND	ND	ND	0.006	ND	0.008	ND	ND	0.008	0.008	ND	ND	ND	ND	ND	0.01	0.005
	六価クロム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.05	0.05
	砒素	0.56	0.73	0.40	1.1	0.42	0.59	0.31	1.6	1.2	0.26	0.55	0.50	0.70	1.0	0.54	0.27	0.13	0.090	0.21	0.01	0.005	
	総水銀	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0005	0.0005	
	アルキル水銀	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0005	
	PCB	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0005
	ジクロロメタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	0.002
	四塩化炭素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.002	0.0002
	塩化ビニルモノマー	-	-	-	-	-	-	-	-	-	0.0034	0.0063	0.0044	0.0090	0.0040	0.017	0.0023	0.0034	0.0035	0.0032	0.002	0.002	
	1,2-ジクロロエタン	0.21	0.018	0.029	0.018	0.0091	0.0082	0.0053	0.0019	0.0007	0.0066	0.010	0.0060	0.0032	0.0057	0.0079	0.0045	0.0036	0.0033	0.0037	0.004	0.0004	
	1,1-ジクロロエチレン	0.054	0.009	0.011	0.004	0.003	ND	ND	ND	0.005	0.007	0.011	0.004	0.002	0.003	0.002	0.004	ND	ND	0.002	0.1 ^(注4)	0.002	
	1,2-ジクロロエチレン ^(注5)	1.7	0.32	0.33	0.11	0.071	0.047	0.033	0.022	0.047	0.046	0.032	0.030	0.037	0.021	0.024	0.022	0.019	0.010	0.022	0.04	0.004	
	1,1,1-トリクロロエタン	0.21	0.023	0.025	0.011	0.007	0.0036	0.0018	0.0011	0.0072	0.011	0.023	0.0096	0.0029	0.0039	0.0083	0.0025	0.0019	0.0011	0.0055	1	0.0005	
	1,1,2-トリクロロエタン	ND	0.0007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.0006	
	トリクロロエチレン	0.15	0.010	0.017	0.022	0.019	0.011	0.006	0.007	0.042	0.043	0.066	0.027	0.016	0.021	0.033	0.0026	0.010	0.007	0.020	0.03	0.002	
	テトラクロロエチレン	0.022	0.011	0.034	0.0027	0.0012	0.0014	ND	0.0006	0.0007	0.0057	0.081	0.014	0.0007	0.0014	0.0013	0.0014	0.0007	ND	0.0006	0.01	0.0005	
	1,3-ジクロロプロパン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.002	0.0002	
	チウラム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.001
	シマジン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.003	0.0003
	チオベンカルブ	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	0.002
	ベンゼン	0.053	0.012	0.012	0.005	0.002	0.002	ND	ND	ND	ND	ND	ND	ND	ND	0.014	ND	ND	ND	0.059	0.01	0.001	
	セレン	ND	ND	0.010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.005
	硝酸性窒素及び亜硝酸性窒素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	10	10
	フッ素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.8	0.8
	砒素	0.7	0.5	0.4	0.3	0.3	0.2	0.2	0.2	0.5	0.1	0.1	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	ND	1	0.1
	1,4-ジクロロベンゼン	-	-	-	-	-	-	-	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.05	0.005
	その他の項目	全窒素	4	3	1.6	3	1	1	1	5	3	1	1	2	4	1	1	1	1	1	1	-	1
全燐		0.5	ND	0.2	1.0	ND	ND	ND	ND	ND	ND	ND	0.2	ND	0.2	ND	ND	0.1	0.2	-	-	0.1	
塩化物イオン		68	39	28	23	37	29	24	28	21	25	31	30	32	20	33	31	33	41	38	-	1	
電気伝導率		51.3	40	32.0	29.5	14.6	16.1	16.2	15	16	33	30	28	31	31	32	30	30	32	30	-	0.1	
ニッケル		ND	0.08	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.05
トリブチル鉛		ND	ND	0.016	ND	ND	0.008	0.026	0.022	ND	ND	0.028	0.030	0.038	0.022	ND	0.008	0.044	0.016	0.013	-	0.007	
アンチモン		ND	0.002	0.005	0.002	0.002	0.003	ND	ND	ND	ND	ND	ND	0.004	ND	ND	0.001	ND	ND	0.001	-	0.001	
フタル酸ジエチルヘキシル	ND	ND	ND	ND	ND	0.015	ND	ND	0.046	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.006		

(注1)単位は、pH(-)、大腸菌群数(MPN/100ml)、電気伝導度(mS/m)を除いて、mg/Lである。

(注2)ND：検出せず

(注3)下線は地下水の環境基準を超過しているもの。

(注4)環境省通知に基づき、環境基準を変更した。(平成22年1月調査までの環境基準値は0.02mg/Lである。)

(注5)環境省通知に基づき、シス体及びトランス体を合わせて1つの地下水環境基準項目となったため、名称を変更した。(平成22年1月調査までは、シス体のみ調査を実施した。)

(注6)環境省通知に基づき、環境基準を変更した。(平成24年1月調査までの環境基準値は0.01mg/Lである。)

表2 地下水調査結果 (B5地点の推移)

調査地点	B5																				地下水の 環境基準	検出下限値		
	H12.12.4	H13.3.6	H17.2.7	H18.2.28	H19.2.1	H20.2.13	H21.2.17	H22.2.16	H23.2.9	H23.6.14	H23.8.3	H23.11.22	H24.2.1	H24.5.16	H24.8.1	H24.11.19	H25.2.5	H25.5.22	H25.7.29					
一般項目	pH	6.3	6.4	6.6	7.1	6.8	6.9	6.7	7.0	6.5	6.8	6.5	6.5	6.6	6.7	6.6	6.7	6.7	6.7	6.6	-	-		
	BOD	120	55	50	44	43	41	36	29	21	33	43	24	27	15	34	13	4.2	12	10	-	0.5		
	COD	530	300	370	300	310	220	240	420	300	223	240	210	260	160	204	186	179	194	228	-	0.5		
	大腸菌群数	3.5×10 ²	2.4×10 ²	ND	ND	17	ND	2.0	ND	2.0	ND	23	ND	ND	ND	ND	49	ND	2	790	-	-		
	油分	2.9	4.1	8.9	5.6	4.5	5.5	5.2	4.3	6.1	8.2	5.8	5.4	4.6	4.6	5.2	4.2	3.4	7.0	10	-	0.5		
健康項目	カドミウム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0003	ND	0.0003	0.003 ^(注6)	0.0003	-		
	全シアン	ND	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.1		
	有機燐	-	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.1	
	鉛	0.018	0.048	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.007	ND	ND	ND	ND	ND	ND	0.01	0.005	
	六価クロム	ND	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.05	0.05	
	砒素	0.047	0.022	ND	0.008	0.013	0.012	ND	ND	ND	ND	ND	ND	0.005	0.017	ND	0.011	0.007	ND	ND	ND	0.01	0.005	
	総水銀	ND	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0005	0.0005	
	アルキル水銀	ND	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0005	
	PCB	ND	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0005	
	ジクロロメタン	0.085	0.039	0.018	0.006	0.003	0.002	0.003	ND	0.004	0.004	ND	0.004	0.005	0.004	0.003	0.003	0.002	0.002	0.002	0.002	0.02	0.002	
	四塩化炭素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.002	0.002
	塩化ビニルモノマー	-	-	-	-	-	-	-	-	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.002	0.002
	1,2-ジクロロエタン	0.0017	0.0014	ND	ND	ND	ND	0.0006	ND	ND	ND	ND	0.0004	0.0005	ND	ND	ND	0.0006	ND	ND	ND	0.004	0.004	
	1,1-ジクロロエチレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.1 ^(注4)	0.002	
	1,2-ジクロロエチレン ^(注5)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.04	0.004	
	1,1,1-トリクロロエタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	0.0005	
	1,1,2-トリクロロエタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0018	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.0006	
	トリクロロエチレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.03	0.002	
	テトラクロロエチレン	0.0016	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.0005	
	1,3-ジクロロプロパン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.002	0.0002	
	チカテム	ND	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.001	
	シマジン	ND	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.003	0.0003	
	チオベンカルブ	ND	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	0.002	
	ベンゼン	0.22	0.19	0.042	0.014	0.003	0.002	0.006	0.002	0.025	0.020	0.025	0.020	0.022	0.016	0.015	0.013	0.009	0.010	0.013	0.01	0.001		
	セレン	ND	-	0.011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.005	
硝酸性窒素及び亜硝酸性窒素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.26	1.2	ND	ND	ND	ND	ND	ND	ND	ND	10	10		
フッ素	ND	ND	4.2	5.0	3.6	3.0	2.0	1.3	ND	2.6	1.5	1.5	1.4	1.3	1.2	1.3	1.2	1.4	1.1	0.8	0.8			
砒素	2.1	2.6	3.0	3.1	3.1	2.6	3.0	2.5	2.5	2.6	2.6	4.9	2.8	2.6	2.7	2.6	2.5	2.2	2.6	1	0.1			
1,4-ジオキサン	-	-	-	-	-	-	-	-	5.3	5.1	5.6	5.1	5.2	3.5	4.5	4.1	3.5	3.5	4.1	0.05	0.005			
全窒素	14	14	12	10	37	30	31	45	8	9	38	34	28	34	24	17	17	15	18	-	1			
全燐	0.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.1		
塩化物イオン	2,300	1,840	2,000	1,520	1,550	1,330	1,470	1,400	1,400	1,400	1,480	1,390	1,330	1,180	1,120	1,080	944	943	1,020	-	1			
電気伝導率	635	462	694	542	478	314	274	280	560	502	517	523	502	432	467	399	413	400	354	-	0.1			
ニッケル	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.06	ND	ND	ND	ND	-	0.05		
モリブデン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.007		
アチモン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.001	ND	ND	ND	ND	ND	ND	ND	-	0.001		
フタル酸ジエチルヘキシル	ND	0.020	ND	ND	ND	ND	0.010	0.010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.006		

(注1)単位は、pH(-)、大腸菌群数(MPN/100ml)、電気伝導率(mS/m)を除いて、mg/Lである。

(注2)ND: 検出せず

(注3)下線は地下水の環境基準を超過しているもの。

(注4)環境省通知に基づき、環境基準を変更した。(平成22年1月調査までの環境基準値は0.02mg/Lである。)

(注5)環境省通知に基づき、シス体及びトランス体を合わせて1つの地下水環境基準項目となったため、名称を変更した。(平成22年1月調査までは、シス体のみ調査を実施した。)

(注6)環境省通知に基づき、環境基準を変更した。(平成24年1月調査までの環境基準値は0.01mg/Lである。)

表3 地下水調査結果（F1西地点の推移）

調査地点	F1西																			地下水の 環境基準	検出 下限		
	H15. 2. 6	H16. 2. 5	H17. 2. 7	H18. 2. 28	H19. 2. 1	H20. 2. 13	H21. 2. 17	H22. 2. 16	H23. 2. 9	H23. 6. 14	H23. 8. 3	H23. 11. 22	H24. 2. 1	H24. 5. 16	H24. 8. 1	H24. 11. 19	H25. 2. 5	H25. 5. 22	H25. 7. 22				
一般項目	pH	7.0	7.0	7.0	6.9	7.3	6.9	7.2	7.7	6.8	6.9	7.2	6.9	6.8	6.8	7.1	7.1	6.7	6.7	-	-		
	BOD	3.9	6.6	1.0	2.7	0.5	1.6	1.7	1.1	0.9	ND	ND	0.7	0.6	ND	ND	ND	2.1	1.7	0.5	0.5		
	COD	5.4	7.9	1.7	2.4	2.4	2.7	2.3	0.9	1.8	2.8	1.9	1.9	1.9	2.0	3.0	2.2	0.9	7.8	6.1	-	0.5	
	大腸菌群数	22	4.5	2.0	22	33	3.7	7.8	2.0	ND	13	22	540	7.8	11	11	70	ND	69	33	-	-	
	油分	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.5	
	カドミウム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.003 ^(注6)	0.0003	
健康項目	全シアン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.1		
	有機燐	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.1	
	鉛	0.024	ND	0.007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.005	
	六価クロム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.05	0.05	
	砒素	0.016	0.016	ND	0.013	ND	0.010	ND	0.008	ND	ND	ND	ND	ND	0.007	0.012	0.008	ND	ND	0.008	0.01	0.005	
	総水銀	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0005	0.0005	
	メチル水銀	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0005	
	PCB	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0005
	ジクロロメタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	0.002
	四塩化炭素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.002	0.0002
	塩化ビニルモノマー	-	-	-	-	-	-	-	-	-	ND	ND	ND	ND	ND	0.0013	ND	ND	ND	ND	ND	0.002	0.0002
	1,2-ジクロロエタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.004	0.0004
	1,1-ジクロロエチレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.1 ^(注4)	0.002
	1,2-ジクロロエチレン ^(注5)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.04	0.004
	1,1,1-トリクロロエタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	0.0005
	1,1,2-トリクロロエタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.0006
	トリクロロエチレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.007	ND	ND	ND	ND	ND	0.03	0.002
	テトラクロロエチレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.0005
	1,3-ジクロロプロペン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.002	0.0002
	チラム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.001
	シマジン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.003	0.0003
	チオベンカルブ	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	0.002
	ベンゼン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.010	ND	ND	ND	0.001	0.01	0.001	
	セレン	ND	ND	0.010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.005
	硝酸性窒素及び亜硝酸性窒素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	10	10
	フッ素	ND	ND	ND	0.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.8	0.8
	砒素	0.6	0.6	0.5	0.5	0.5	0.4	0.4	0.4	0.4	0.5	0.5	0.9	0.5	0.5	0.5	0.5	0.4	0.4	0.4	1	0.1	
1,4-ジオキサン	-	-	-	-	-	-	-	-	ND	0.008	ND	ND	0.006	ND	0.010	0.010	0.010	0.020	0.023	0.05	0.005		
その他の項目	全窒素	1	4	ND	ND	1	ND	ND	ND	ND	ND	1.6	1.2	1.2	4	ND	ND	ND	ND	ND	-	1	
	全燐	ND	ND	ND	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.1
	塩化物イオン	230	230	220	216	223	274	241	250	270	360	248	252	285	331	342	328	338	436	426	-	1	
	電気伝導率	98.6	94	94.6	90.0	83.7	53.4	47.3	49	110	136	102	109	115	130	133	118	133	168	176	-	0.1	
	ニッケル	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.05
	モリブデン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.007
	アンチモン	ND	0.001	0.001	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.001	ND	ND	ND	ND	ND	ND	-	0.001
フタル酸ジエチルヘキシル	ND	ND	0.033	0.030	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.006	

(注1)単位は、pH(-)、大腸菌群数(MPN/100ml)、電気伝導率(mS/m)を除いて、mg/Lである。

(注2)ND：検出せず

(注3)下線は地下水の環境基準を超過しているもの。

(注4)環境省通知に基づき、環境基準を変更した。(平成22年1月調査までの環境基準値は0.02mg/Lである。)

(注5)環境省通知に基づき、シス体及びトランス体を合わせて1つの地下水環境基準項目となったため、名称を変更した。(平成22年1月調査までは、シス体のみ調査を実施した。)

(注6)環境省通知に基づき、環境基準を変更した。(平成24年1月調査までの環境基準値は0.01mg/Lである。)

表4 地下水調査結果

調査地点	C1北	C1南	C3北	C3南	DE1	F1	F1東	HI1	地下水の 環境基準	検出 下限		
調査年月日	H25.7.24	H25.7.24	H25.7.24	H25.7.24	H25.7.22	H25.7.29	H25.7.22	H25.7.22				
一般項目	pH	6.9	5.5	6.6	6.3	5.9	7.1	6.2	7.7	-	-	
	BOD	6.6	ND	12	11	ND	16	9.3	2.9	-	0.5	
	COD	159	7.1	205	84	2.5	415	136	11	-	0.5	
	大腸菌群数	<1.8	<1.8	2.0	4.5	<1.8	<1.8	<1.8	<1.8	-	-	
	油分	1.5	ND	7.6	4.0	ND	4.6	4.4	ND	-	0.5	
健康項目	カドミウム	0.0012	0.0011	0.0004	0.0008	0.0026	0.0023	0.0011	ND	0.003 ^(注6)	0.0003	
	全シアン	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.1	
	有機燐	ND	ND	ND	ND	ND	ND	ND	ND	-	0.1	
	鉛	ND	ND	ND	ND	0.005	ND	ND	ND	0.01	0.005	
	六価クロム	ND	ND	ND	ND	ND	ND	ND	ND	0.05	0.05	
	砒素	ND	ND	ND	ND	ND	0.009	ND	ND	0.01	0.005	
	総水銀	ND	ND	ND	ND	ND	ND	ND	ND	0.0005	0.0005	
	アルキル水銀	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0005	
	PCB	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0005	
	ジクロロメタン	ND	ND	ND	0.002	ND	ND	ND	ND	0.02	0.002	
	四塩化炭素	ND	ND	ND	ND	ND	ND	ND	ND	0.002	0.0002	
	塩化ビニルモノマー	0.0003	ND	0.035	0.12	ND	ND	0.0017	ND	0.002	0.0002	
	1,2-ジクロロエタン	ND	ND	0.0014	0.0024	ND	ND	0.0009	ND	0.004	0.0004	
	1,1-ジクロロエチレン	ND	ND	ND	ND	ND	ND	ND	ND	0.1 ^(注4)	0.002	
	1,2-ジクロロエチレン ^(注5)	ND	0.088	0.033	0.67	ND	ND	ND	ND	0.04	0.004	
	1,1,1-トリクロロエタン	ND	ND	ND	ND	ND	ND	ND	ND	1	0.0005	
	1,1,2-トリクロロエタン	ND	0.0015	ND	0.0024	ND	ND	ND	ND	0.006	0.0006	
	トリクロロエチレン	ND	0.25	0.025	0.46	ND	0.002	0.002	ND	0.03	0.002	
	テトラクロロエチレン	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.0005	
	1,3-ジクロロプロペン	ND	ND	ND	ND	ND	ND	ND	ND	0.002	0.0002	
	チオラム	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.001	
	シマジン	ND	ND	ND	ND	ND	ND	ND	ND	0.003	0.0003	
	チオベンカルブ	ND	ND	ND	ND	ND	ND	ND	ND	0.02	0.002	
	ベンゼン	0.099	0.023	9.2	0.56	0.003	0.75	0.017	0.005	0.01	0.001	
	セレン	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.005	
	硝酸性窒素及び亜硝酸性窒素	ND	ND	ND	ND	ND	ND	ND	ND	10	10	
	フッ素	ND	ND	ND	ND	ND	ND	ND	ND	0.8	0.8	
	砒素	7.2	0.1	3.0	2.9	0.8	28	9.4	1.2	1	0.1	
	1,4-ジオキサン	0.73	0.1	1.3	1.3	ND	0.6	0.72	ND	0.05	0.005	
	その他の項目	全窒素	23	ND	11	9	ND	45	4	13	-	1
		全燐	0.3	ND	ND	ND	ND	0.2	ND	ND	-	0.1
		塩化物イオン	1850	4890	322	1260	9650	1790	1230	20	-	1
電気伝導率		727	1361	590	506	2650	860	524	96	-	0.1	
ニッケル		ND	ND	ND	ND	ND	ND	ND	ND	-	0.05	
モリブデン		ND	ND	ND	ND	0.008	0.023	ND	0.052	-	0.007	
アンチモン		ND	ND	ND	ND	ND	ND	ND	ND	-	0.001	
フタル酸ジエチルヘキシル		ND	ND	ND	ND	ND	ND	ND	ND	-	0.006	

(注1)単位は、pH(-)、大腸菌群数(MPN/100ml)、電気伝導率(mS/m)を除いて、mg/Lである。

(注2)ND：検出せず

(注3)下線は地下水の環境基準を超過しているもの。

(注4)環境省通知に基づき、環境基準を変更した。(平成22年1月調査までの環境基準値は0.02mg/Lである。)

(注5)環境省通知に基づき、シス体及びトランス体を合わせて1つの地下水環境基準項目となったため、名称を変更した。(平成22年1月調査までは、シス体のみ調査を実施した。)

(注6)環境省通知に基づき、環境基準を変更した。(平成24年1月調査までの環境基準値は0.01mg/Lである。)




図 豊島における環境計測（地下水調査）調査地点