

平成 26 年 6 月 30 日

豊島における環境計測（地下水調査）結果について

地下水の環境計測は、工事の進捗に伴う水質の推移を把握することを目的としている。今回、平成 26 年 5 月に実施した水質調査結果をとりまとめた。

1 調査の概要

(1) 調査日

平成 26 年 5 月 13 日（火）

(2) 調査地点（調査地点図参照）

地下水観測井 A 3、B 5、F 1 西

(3) 検体採取機関及び分析機関

採取機関：県廃棄物対策課、県直島環境センター

分析機関：県直島環境センター、県環境保健研究センター

2 調査結果の概要（表 1～3）

- ・ 観測井 A 3、B 5、F 1 西とも、これまでの調査結果と比較して特段の差異は見られなかった。
- ・ 観測井 F 1 西においては、ベンゼンが、観測井 A 3 において砒素及びその化合物、塩化ビニルモノマーが、観測井 B 5 においてホウ素及びその化合物、フッ素及びその化合物、1,4-ジオキサン、ベンゼンが、それぞれ環境基準値を満足しなかった。

表1 地下水調査結果 (A3地点の推移)

調査地点		A3																				地下水の 環境基準	検出 下限			
調査年月日		H15. 2. 6	H16. 2. 5	H17. 2. 7	H18. 2. 28	H19. 2. 1	H20. 2. 13	H21. 2. 17	H22. 2. 16	H23. 2. 9	H23. 6. 14	H23. 8. 3	H23. 11. 22	H24. 2. 1	H24. 5. 16	H24. 8. 1	H24. 11. 19	H25. 2. 5	H25. 5. 22	H25. 7. 29	H25. 11. 13	H26. 3. 17	H26. 5. 13			
一般項目	pH	7.0	7.1	6.9	7.1	7.0	6.8	7.0	7.2	6.9	6.8	6.7	6.7	6.9	6.6	6.8	6.9	6.9	6.8	6.8	6.6	9.8	11.4	-	-	
	BOD	7.5	12	0.8	4.3	0.7	0.9	ND	1.4	1.0	ND	1.0	1.0	0.8	ND	ND	0.8	1.3	1.3	ND	ND	1.0	ND	-	0.5	
	COD	32	70	17	18	10	21	3.1	3.7	5.7	5.6	3.7	5.1	3.8	7.0	5.0	4.1	3.4	7.9	3.5	4.2	8.4	7.2	-	0.5	
	大腸菌群数	13	33	33	7.8	ND	ND	ND	ND	ND	ND	2	7.8	ND	ND	11	13	ND	350	2	7.8	ND	ND	-	-	
	油分	0.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.7	1.1	0.6	-	0.5	
	カドミウム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.003 ^(注6)	0.0003
	全シアン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.1
	有機燐	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.1
	鉛	ND	0.1	0.015	ND	ND	ND	ND	ND	0.006	ND	0.008	ND	ND	0.008	0.008	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.005
	六価クロム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.05	0.05
砒素	0.56	0.73	0.40	1.1	0.42	0.59	0.31	1.6	1.2	0.26	0.55	0.50	0.70	1.0	0.54	0.27	0.13	0.090	0.21	0.56	0.49	0.26	0.01	0.005		
総水銀	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0005	0.0005	
メチル水銀	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0005	
PCB	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0005	
ジクロロメタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	0.002
四塩化炭素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0006	ND	0.002	0.0002	
塩化ビニルモノマー	-	-	-	-	-	-	-	-	-	0.0034	0.0063	0.0044	0.0090	0.0040	0.017	0.0023	0.0034	0.0035	0.0032	ND	ND	0.0022	0.002	0.0002		
健康項目	1,2-ジクロロエタン	0.21	0.018	0.029	0.018	0.0091	0.0082	0.0053	0.0019	0.0007	0.0066	0.010	0.0060	0.0032	0.0057	0.0079	0.0045	0.0036	0.0033	0.0037	0.0050	0.0020	0.0031	0.04	0.0004	
	1,1-ジクロロエチレン	0.054	0.009	0.011	0.004	0.003	ND	ND	0.005	0.007	0.011	0.004	0.002	0.003	0.002	0.004	ND	ND	0.002	0.002	0.002	ND	ND	0.1 ^(注4)	0.002	
	1,2-ジクロロエチレン ^(注5)	1.7	0.32	0.33	0.11	0.071	0.047	0.033	0.022	0.047	0.046	0.032	0.030	0.037	0.021	0.024	0.022	0.019	0.010	0.022	0.015	ND	0.022	0.04	0.004	
	1,1,1-トリクロロエタン	0.21	0.023	0.025	0.011	0.007	0.0036	0.0018	0.0011	0.0072	0.011	0.023	0.0096	0.0029	0.0039	0.0083	0.0025	0.0019	0.0011	0.0055	0.0049	ND	0.0021	1	0.0005	
	1,1,2-トリクロロエタン	ND	0.0007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.0006	
	トリクロロエチレン	0.15	0.010	0.017	0.022	0.019	0.011	0.006	0.007	0.042	0.043	0.066	0.027	0.016	0.021	0.033	0.0026	0.010	0.007	0.020	0.015	0.002	0.016	0.03	0.002	
	テトラクロロエチレン	0.022	0.011	0.034	0.0027	0.0012	0.0014	ND	0.0006	0.0007	0.0057	0.081	0.014	0.0007	0.0014	0.0013	0.0014	0.0007	ND	0.0006	0.0007	ND	ND	0.01	0.0005	
	1,3-ジクロロプロペン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.002	0.0002
	チラム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.001
	ジマジン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.003	0.0003
チオベンカルブ	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	0.002	
ベンゼン	0.053	0.012	0.012	0.005	0.002	0.002	ND	ND	ND	ND	ND	ND	ND	ND	0.014	ND	ND	ND	0.059	ND	ND	ND	0.01	0.001		
セレン	ND	ND	0.010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.005	
硝酸性窒素及び亜硝酸性窒素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	10	10	
フッ素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.0	ND	0.8	0.8	
砒素	0.7	0.5	0.4	0.3	0.3	0.2	0.2	0.2	0.2	0.5	0.1	0.1	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.3	0.2	1	0.1	
1,4-ジオキサ	-	-	-	-	-	-	-	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.05	0.005	
その他の項目	全窒素	4	3	1.6	3	1	1	1	5	3	1	1	1	2	4	1	1	1	1	1	1	ND	ND	2	-	1
	全燐	0.5	ND	0.2	1.0	ND	ND	ND	ND	ND	ND	ND	ND	0.2	ND	0.2	ND	ND	0.1	0.2	ND	ND	ND	-	0.1	
	塩化物イオン	68	39	28	23	37	29	24	28	21	25	31	30	32	20	33	31	33	41	38	40	48	57	-	1	
	電気伝導率	51.3	40	32.0	29.5	14.6	16.1	16.2	15	16	33	30	28	31	31	32	30	30	32	30	31	32	87	-	0.1	
	ニッケル	ND	0.08	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.05
	トリブテン	ND	ND	0.016	ND	ND	0.008	0.026	0.022	ND	ND	0.028	0.030	0.038	0.022	ND	0.008	0.044	0.016	0.013	0.019	0.12	0.098	-	0.007	
アンチモン	ND	0.002	0.005	0.002	0.002	0.003	ND	ND	ND	ND	ND	ND	0.004	ND	ND	ND	0.001	ND	ND	0.001	ND	0.004	ND	-	0.001	
フルオロシエチルベンゼン	ND	ND	ND	ND	ND	ND	0.015	ND	ND	0.046	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.006	

(注1)単位は、pH(-)、大腸菌群数(MPN/100ml)、電気伝導度(mS/m)を除いて、mg/Lである。

(注2)ND：検出せず

(注3)下線は地下水の環境基準を超過しているもの。

(注4)環境省通知に基づき、環境基準を変更した。(平成22年1月調査までの環境基準値は0.02mg/Lである。)

(注5)環境省通知に基づき、シス体及びトランス体を合わせて1つの地下水環境基準項目となったため、名称を変更した。(平成22年1月調査までは、シス体のみ調査を実施した。)

(注6)環境省通知に基づき、環境基準を変更した。(平成24年1月調査までの環境基準値は0.01mg/Lである。)

表2 地下水調査結果（B5地点の推移）

調査地点		B5																				地下水の環境基準		検出下限値				
調査年月日		H12.12.4	H13.3.6	H17.2.7	H18.2.28	H19.2.1	H20.2.13	H21.2.17	H22.2.16	H23.2.9	H23.6.14	H23.8.3	H23.11.22	H24.2.1	H24.5.16	H24.8.1	H24.11.19	H25.2.5	H25.5.22	H25.7.29	H25.11.13	H26.3.4	H26.5.13					
一般項目	pH	6.3	6.4	6.6	7.1	6.8	6.9	6.7	7.0	6.5	6.8	6.5	6.5	6.6	6.7	6.6	6.7	6.7	6.7	6.6	6.7	6.8	6.6	6.6	-	-		
	BOD	120	55	50	44	43	41	36	29	21	33	43	24	27	15	34	13	4.2	12	10	8	16	13	-	0.5			
	COD	530	300	370	300	310	220	240	420	300	223	240	210	260	160	204	186	179	194	228	215	120	200	-	0.5			
	大腸菌群数	3.5×10 ³	2.4×10 ³	ND	ND	17	ND	2.0	ND	2.0	ND	23	ND	ND	ND	ND	49	ND	2.0	790	2.0	350	1700	-	-			
健康項目	油分	2.9	4.1	8.9	5.6	4.5	5.5	5.2	4.3	6.1	8.2	5.8	5.4	4.6	4.6	5.2	4.2	3.4	7.0	10	8.6	11	7.6	-	0.5			
	カドミウム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0003	ND	0.0003	ND	ND	ND	0.003 ^(注6)	0.0003			
	全シアン	ND	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.1		
	有機燐	-	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.1		
その他の項目	鉛	0.018	0.048	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.005		
	六価クロム	ND	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.05	0.05		
	砒素	0.047	0.022	ND	0.008	0.013	0.012	ND	ND	ND	ND	ND	ND	0.005	0.017	ND	0.011	0.007	ND	ND	0.006	ND	0.006	0.01	0.005			
	総水銀	ND	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0005	0.0005		
	アルキル水銀	ND	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0005		
	PCB	ND	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0005		
	ジクロロタン	0.085	0.039	0.018	0.006	0.003	0.002	0.003	ND	0.004	0.004	ND	0.004	0.005	0.004	0.003	0.003	0.002	0.002	0.002	0.002	ND	ND	0.007	0.02	0.002		
	四塩化炭素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.002	0.0002	
	塩化ビニルモノマー	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.002	0.0002	
	1,2-ジクロロエタン	0.0017	0.0014	ND	ND	ND	ND	0.0006	ND	ND	ND	ND	0.0004	0.0005	ND	ND	ND	0.0006	ND	ND	ND	ND	ND	ND	ND	0.004	0.0004	
	1,1-ジクロロエチレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.1 ^(注4)	0.002	
	1,2-ジクロロエチレン ^(注5)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.04	0.004	
	1,1,1-トリクロロエタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	0.0005	
	1,1,2-トリクロロエタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0018	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.0006	
	トリクロロエチレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.03	0.002	
	テトラクロロエチレン	0.0016	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.0005	
	1,3-ジクロロプロペン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.002	0.0002	
	チオホルム	ND	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.001
	シマジン	ND	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.003	0.0003
	チオベンカルブ	ND	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	0.002
ベンゼン	0.22	0.19	0.042	0.014	0.003	0.002	0.006	0.002	0.002	0.025	0.020	0.025	0.020	0.022	0.016	0.015	0.013	0.009	0.010	0.013	0.004	0.10	0.030	0.01	0.001			
ゼレン	ND	-	0.011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.005	
硝酸性窒素及び亜硝酸性窒素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.26	1.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	10	10		
フッ素	ND	ND	4.2	5.0	3.6	3.0	2.0	1.3	ND	2.6	1.5	1.5	1.4	1.3	1.2	1.3	1.2	1.4	1.1	0.9	1.4	1.8	1.8	0.8	0.8			
鈉素	2.1	2.6	3.0	3.1	3.1	2.6	3.0	2.5	2.5	2.6	2.6	4.9	2.8	2.6	2.7	2.6	2.5	2.2	2.6	2.7	2.7	2.5	2.0	1	0.1			
1,4-ジチオサン	-	-	-	-	-	-	-	-	5.3	5.1	5.6	5.1	5.2	3.5	4.5	4.1	3.5	3.5	4.1	3.1	3.3	3.6	0.05	0.005				
その他の項目	全窒素	14	14	12	10	37	30	31	45	8	9	38	34	28	34	24	17	17	15	18	4	ND	12	-	1			
	全燐	0.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.1		
	塩化物イオン	2,300	1,840	2,000	1,520	1,550	1,330	1,470	1,400	1,400	1,400	1,480	1,390	1,330	1,180	1,120	1,080	944	943	1,020	690	704	901	-	1			
	電気伝導率	635	462	694	542	478	314	274	280	560	502	517	523	502	432	467	399	413	400	354	339	320	403	-	0.1			
	ニッケル	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.06	ND	ND	ND	ND	ND	ND	ND	-	0.05		
	トリブテン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.018	0.009	ND	ND	-	0.007		
	アンチモン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.001	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.001		
フタル酸ジエチルヘキシル	ND	0.020	ND	ND	ND	ND	0.010	0.010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.006			

(注1)単位は、pH(-)、大腸菌群数(MPN/100ml)、電気伝導率(mS/m)を除いて、mg/Lである。

(注2)ND：検出せず

(注3)下線は地下水の環境基準を超過しているもの。

(注4)環境省通知に基づき、環境基準を変更した。(平成22年1月調査までの環境基準値は0.02mg/Lである。)

(注5)環境省通知に基づき、シス体及びトランス体を合わせて1つの地下水環境基準項目となったため、名称を変更した。(平成22年1月調査までは、シス体のみ調査を実施した。)

(注6)環境省通知に基づき、環境基準を変更した。(平成24年1月調査までの環境基準値は0.01mg/Lである。)

表3 地下水調査結果 (F1西地点の推移)

調査地点		F1西																							地下水の	検出
調査年月日		H15. 2. 6	H16. 2. 5	H17. 2. 7	H18. 2. 28	H19. 2. 1	H20. 2. 13	H21. 2. 17	H22. 2. 16	H23. 2. 9	H23. 6. 14	H23. 8. 3	H23. 11. 22	H24. 2. 1	H24. 5. 16	H24. 8. 1	H24. 11. 19	H25. 2. 5	H25. 5. 22	H25. 7. 22	H25. 11. 13	H26. 3. 17	H26. 5. 13	環境基準	下限	
一般項目	pH	7.0	7.0	7.0	6.9	7.3	6.9	7.2	7.7	6.8	6.9	6.9	7.2	6.9	6.8	6.8	7.1	7.1	6.7	6.7	7.1	6.9	7.1	-	-	
	BOD	3.9	6.6	1.0	2.7	0.5	1.6	1.7	1.1	0.9	ND	ND	0.7	0.6	ND	ND	ND	2.1	1.7	0.5	0.6	ND	ND	-	0.5	
健康項目	COD	5.4	7.9	1.7	2.4	2.4	2.7	2.3	0.9	1.8	2.8	1.9	1.9	1.9	2.0	3.0	2.2	0.9	7.8	6.1	1.7	5.0	2.6	-	0.5	
	大腸菌群数	22	4.5	2.0	22	33	3.7	7.8	2.0	ND	13	22	540	7.8	11	11	70	ND	69	33	ND	7.8	ND	-	-	
健康項目	油分	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.5	ND	-	0.5	
	カドミウム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0004	0.003 ^(注6)	0.0003	
健康項目	全シアン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.1	
	有機燐	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.1	
健康項目	鉛	0.024	ND	0.007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.005	
	六価クロム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.05	0.05	
健康項目	砒素	0.016	0.016	ND	0.013	ND	0.010	ND	0.008	ND	ND	ND	ND	ND	0.007	0.012	0.008	ND	ND	0.008	ND	0.016	0.009	0.01	0.005	
	総水銀	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0005	0.0005	
健康項目	アルキル水銀	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0005	
	PCB	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0005	
健康項目	ジクロロメタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	0.002	
	四塩化炭素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	0.002	
健康項目	塩化ビニルモノマー	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.0006	0.002	
	1,2-ジクロロエタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.004	0.0004	
健康項目	1,1-ジクロロエチレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.1 ^(注4)	0.002	
	1,2-ジクロロエチレン ^(注5)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.04	0.004	
健康項目	1,1,1-トリクロロエタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	0.0005	
	1,1,2-トリクロロエタン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.0006	
健康項目	トリクロロエチレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.007	ND	ND	ND	ND	ND	ND	0.011	0.03	0.002	
	テトラクロロエチレン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.0005	
健康項目	1,3-ジクロロプロペン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.002	0.0002	
	チオム	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	0.001	
健康項目	シマジン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.003	0.0003	
	チオベンカルブ	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	0.002	
健康項目	ベンゼン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.010	ND	ND	ND	0.001	ND	0.010	0.012	0.01	0.001	
	セレン	ND	ND	0.010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.005	
健康項目	硝酸性窒素及び亜硝酸性窒素	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	10	10	
	フッ素	ND	ND	ND	0.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.8	0.8	
健康項目	硫酸	0.6	0.6	0.5	0.5	0.5	0.4	0.4	0.4	0.4	0.5	0.5	0.9	0.5	0.5	0.5	0.5	0.4	0.4	0.4	0.5	0.3	0.4	1	0.1	
	1,4-ジチオソ	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
その他の項目	全窒素	1	4	ND	ND	1	ND	ND	ND	ND	ND	1.6	1.2	1.2	4	ND	ND	ND	ND	ND	ND	ND	ND	-	1	
	全燐	ND	ND	ND	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.1	
その他の項目	塩化物イオン	230	230	220	216	223	274	241	250	270	360	248	252	285	331	342	328	338	436	426	280	314	309	-	1	
	電気伝導率	98.6	94	94.6	90.0	83.7	53.4	47.3	49	110	136	102	109	115	130	133	118	133	168	176	100	127	117	-	0.1	
その他の項目	ニッケル	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.05	
	モリブデン	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.007	
その他の項目	アンチモン	ND	0.001	0.001	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.001	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.001	
	フタル酸ジエチルヘキシル	ND	ND	0.033	0.030	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	0.006	

(注1)単位は、pH(-)、大腸菌群数(MPN/100ml)、電気伝導率(mS/m)を除いて、mg/Lである。

(注2)ND:検出せず

(注3)下線は地下水の環境基準を超過しているもの。

(注4)環境省通知に基づき、環境基準を変更した。(平成22年1月調査までの環境基準値は0.02mg/Lである。)

(注5)環境省通知に基づき、シス体及びトランス体を合わせて1つの地下水環境基準項目となったため、名称を変更した。(平成22年1月調査までは、シス体のみ調査を実施した。)

(注6)環境省通知に基づき、環境基準を変更した。(平成24年1月調査までの環境基準値は0.01mg/Lである。)




図 豊島における環境計測（地下水調査）調査地点